SZUTEST

Certificate of Conformity of the Factory Production Control

2195-CPR-2433301

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Hot Rolled Products of Structural Steel

(tested for performance for the characteristics described in Annex 1 which is an inseparable part of this certificate)

produced by the manufacturer

HASÇELİK SANAYİ VE TİCARET A.Ş.

İstanbul Anadolu Yakası 0.S.B. 2. Sanayi Cad. N:10 TUZLA İSTANBUL/TURKEY

and produced in the manufacturing plant

HASÇELİK SANAYİ VE TİCARET A.Ş.

Taysad Organize Sanayi Bölgesi (T.O.S.B) 1.Cadde No:17 41420 ÇAYIROVA KOCAELİ/TURKEY

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 10025-1: 2004

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements. This certificate was first issued on 28.11.2024 and will remain valid as long as neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit, the period validity date is renewed every year after the surveillance audits.

Validity Date : 28.11.2028 Period Validity Date : 28.11.2025





FR. CPR. 24 R:04

SZUTEST

Certificate of Conformity of the Factory Production Control

2195-CPR-2433301

Annex 1

Intended uses:

To be used in metal structures or in composite metal and concrete structures.

Controlled Performance Characteristics;

- Dimension and Shape Tolerances,
- Yield Strength,
- Elongation,
- Tensile Strength,
- Impact Resistance,
- Weldability,
- Durability.

According to EN 10025-2	Product Form	Thickness (Section) mm	Length, mm
S235JR			
S235J0			
S235J2	Hot Rolled		
S275JR	Structural Steels		
S275J0	(hexagonal, round, flat, square)	19-130 mm	2000-12000 mm
S275J2			
\$355JR			
S355J0			
S355J2			



FR. CPR. 24 R:04