

Parlak Çelik

Stok Listesi

Mayıs 2025

PARLAK ÇELİK YUVARLAK (Çap mm)

TRM	S235	4	5	6	7	8	8,8	9	10	10,06	10,09
		10,1	10,4	10,6	11	11,5	12	12,35	13	14	14,2
		14,5	15	15,6	16	17	17,9	18	19	19,95	19,99
		20	21,5	22	22,2	24	24,5	25	25,4	25,5	26
		27	27,2	27,5	28	28,5	28,6	29	29,25	30	31
		31,75	32	33	34	36	36,2	36,51	38	38,1	39,88
		40	41,6	42	43	45,8	46	50,8	52	52,2	53
		55	58	60	63,5	65	67	70	75	85	88,9
		95,25	100	101,6							
KARBON ÇELİKLERİ	AISI 1018	8	9	9,53	10	11,88	12	13	14	14,45	15
		15,88	16	17	17,3	17,46	17,5	17,8	17,9	18,95	19
		20	20,07	20,2	21,9	22,23	24,9	25	25,2	25,4	25,7
		26	26,99	27	28	28,5	29	29,9	30	30,16	31,75
		32	32,8	33	33,34	34	34,93	35	36	36,1	36,51
		38	40	41	41,27	41,28	42	44,42	44,45	45	49,22
		50	53,98	54,1	54,5	55	55,56	57,15	58,74	58,75	60
		61,91	63,5	65	66,68	67	68,26	70	72	74,61	75
		76,2	79,38	80	85	85,73	88	88,9	90	95	100
		107,95	110	114,3	115	127	130	140	146,05	150	152,4
	C35	6,1	8	8,05	8,1	8,2	10	10,06	10,1	11,11	11,84
		12	12,79	13,3	15	16	17,97	18	20	21	22
		27	30	32	35	36,55	41	44	45	60	65
	C40- C45	8	8,1	10	10,06	10,07	11,8	12	12,1	12,7	12,8
		12,9	13,18	13,3	14	14,2	14,5	14,8	14,9	15	15,85
		16	16,1	16,2	16,6	16,7	17	17,2	17,5	17,8	18
		18,1	18,9	19	19,15	19,8	19,85	20	20,05	20,1	20,5
		20,88	22	22,23	22,6	22,7	22,85	22,95	23,4	23,8	23,81
		24	24,2	24,99	25	25,25	25,35	25,5	26	27	27,5
		28	30	30,15	30,2	31	31,5	31,75	33,34	34	34,1
		34,26	34,65	35	35,1	35,2	36	37,2	38	38,2	40
		41,28	42,86	43	44	45	45,35	46	47,63	48	49,21
		50	50,8	52,1	53,98	55	55,56	57,15	60	60,2	60,33
		60,35	61,91	63,09	63,5	65	65,3	65,35	66,68	69,85	70
		70,3	73,03	74,61	75	76,2	80	85	88,9	90	95
		100	100,3	101,6	105	110	115	120	120,65	125	127
		130	140								



444 41 40



Info@hascelik.com



www.hascelik.com



Hascelik

Çeliğin Değer Yolculuğu

PARLAK ÇELİK YUVARLAK (Çap mm)

OTOMAT ÇELİKLERİ	Kurşunsuz Otomat	7 16,17 45	7,94 19 55	8 22 60	10 22,7 64	12 25 66,5	12,88 26 80	12,9 30 152,4	13 34	14 35	16 40
	Kurşunlu Otomat	6 12 18 22,25 30 50	6,15 12,7 18,6 23 32 50,8	7 13 19 23,8 34,93 53,98	7,5 13,45 19,05 24 38 55	8 13,97 19,15 25 40 56	9 14 19,6 25,4 41,28 57	10 15 19,93 26 44 60	10,32 16 20 26,99 44,45 62	11 17 21 27 45 63,5	11,11 17,46 22 28 46 69,85
ISLAH ÇELİĞİ	41Cr4	8 16,25 21,9	9,85 16,7 22	10 17,26 22,5	13,8 17,91 22,6	14 18 22,8	14,4 18,9 23	14,5 19,8 24,8	14,85 20 25	15 20,95	15,5 21,89
TAŞLANMIŞ MİL	C40 - C45	16 42,86	19,85 48	20 49,21	22 50	24,98 50,6	24,99 55	25 60	31,75 65	35 70	40 110

PARLAK ÇELİK ALTIKÖŞE (Ebat mm)

TRM	S235	13,94 50	19 55	22	24	27	30	32	36	38	41
KARBON	C40-C45	17 46	19 50	22 55	24	27	30	32	36	38	41
OTOMAT ÇELİKLERİ	Kurşunsuz Otomat	15,88 50	22,23 50,8	25,4 63,5	27	28,58	30	31,75	34,92	36	38,1
	Kurşunlu Otomat	10 19,05 30,16 46	12,7 20,64 31,75 50	14,29 21 32 55	15 22 33,34 57,15	15,88 22,23 34,93 60	16 23 36	17 24 38,1	17,46 25,4 41	18 27 41,28	19 28,58 44,45

PARLAK ÇELİK KARE (Ebat mm)

TRM	S235	12 38,1	15,88 45	17 50	19,05 50,8	22,23 57,15	24 60	25 63,5	25,4 65	26	31,75
KARBON	C40-C45	22,23	25,4	31,75	38,1	41,28	44,45				



444 41 40



Info@hascelik.com



www.hascelik.com



Hascelik

Çeliğin Değer Yolculuğu

PARLAK ELİK LAMA (Ebat mm)

TRM	S235	25-10	30-10	30-8	32-6	35-5	40-10	40-15	40-20	40-25	40-30
		50-10	50-12	50-15	50-20	50-25	50-30	50-40	60-12	60-15	60-20
		60-25	60-30	60-40	70-10	70-12	70-15	70-30	80-10	80-15	80-20
		80-25	80-30	80-40	90-5	100-10	100-12	100-15	100-25	100-30	120-10
		120-15	120-20	150-20							
KARBON	C40- C45	40-30	60-30								



444 41 40



Info@hascelik.com



www.hascelik.com



Hascelik

eliğın Değer Yolculuğı